	Application No.	Applicant(s)
Notice of Allowability		
	10/691,096 Examiner	LINDENBAUM Art Unit
•	·	
	Russell Frejd	2128
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>Applicant's amendment</u>	ent received 6 October 2006.	
2. The allowed claim(s) is/are <u>1-3</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority ureal.</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents.</li> </ul>	e been received. e been received in Application No	· · · · · · · · · · · · · · · · · · ·
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		·
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS ( as "replacement sheets") mus	st be submitted.	
(a) I including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO	9-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)		6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☒ Examiner's Amendment/Comment
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	
Paper No./Mail Date  4.   Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statement of Reasons for Allowance	
	9.  Other	
		RUSSELL FREJD PRIMARY EXAMINER

In re Application of: Lindenbaum

## Allowance of Application # 10/691,096

1. The following communication is in response to Applicant's Amendment received 6-October-2006.

## Examiner's Amendment

- 2. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the Issue Fee.
- 2.1 In the Specification:

page 4 line 18 Delete --or <other>--.

- 2.2 In the Claims:
- claim 1 line 1 in step (a) Change "launching an computer-aided" to --launching a computer-aided--.

line 3 in step (b) Change "the mouse" to --a mouse--.

line 4 in step (n) Change "architectural objects" to --architectural objects; --.

claim 3 line 28 Change "portion configure to" to -portion configured to--. Serial Number: 10/691,096 Page 2

In re Application of: Lindenbaum

## Reasons for Allowance

3. The following is an Examiner's Statement of Reasons for the indication of allowable subject matter.

- 3.1 The instant application is directed to a non-obvious improvement over the information described the prior art, the most relevant of the prior art of record being the article authored by Hahnel et al., entitled *Learning Compact 3D Models of Indoor and Outdoor Environments with a Mobile Robot*, which discloses an algorithm for full 3D shape reconstruction of indoor and outdoor environments with mobile robots, wherein data is acquired with laser range finders installed on a mobile robot, and combined with an algorithm for approximating environments using flat surfaces.
- 3.2 The improvement comprises a method by which a 3 dimensional rendering of a plurality of rooms of an architectural structure can be generated by using a laser measuring device to communicatively map measurement data directly into a plurality of structural measurement fields contained in an architectural rendering software program, and using the measurement data, thereby create a computer model rendering of the architectural structure. These patentable distinctions are included in each of the independent claims, nos. 1 and 3.
- 3.3 For at least these reasons, the art of record, either individually or in combination, fails to teach, suggest, or render obvious the useful, concrete and tangible <3 dimensional rendering of a plurality of rooms of an architectural structure by communicatively mapping measurement data directly into a plurality of structural measurement fields> having the corresponding structure which is disclosed in the specification and equivalents thereof at least at page 4, line 16 through page 8, line 29, and Figures 1-16. In view of the foregoing, the claims of the present application are found to be patentable over the prior art.

Serial Number: 10/691,096 Page 3

In re Application of: Lindenbaum

## Response Guidelines

4. Any comments considered necessary by applicant MUST be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should clearly be labeled "Comments on Statement of Reasons for Allowance".

4.1 Any response to the Examiner in regard to this allowance should be

directed to: Russell Frejd, telephone number (571) 272-3779, Monday-Friday

> from 0530 to 1400 ET, or the examiner's supervisor, Kamini Shah, telephone number (571) 272-2279. Inquires of a general nature or relating to the status of this application should be directed to the TC2100

Group Receptionist (571) 272-2100.

mailed to: Commissioner of Patents and Trademarks

P.O. Box 1450, Alexandria, VA 22313-1450

or faxed to: (571) 273-8300

Hand-delivered responses should be brought to the Customer Service Window, Randolph Building, 401

Dulany Street, Alexandria, VA, 22314.

Date: 11-November-2006

PRIMARY EXAMINER